



# White Paper

Indoor Positioning & Services



# Content

|   |    |
|---|----|
| 1 The Basics of Indoor Positioning .....                            | 4  |
| 1.1 Quick Start – Client- and Server-Based Indoor Positioning ..... | 4  |
| 1.2 Technology Overview .....                                       | 5  |
| 1.2.1 Wi-Fi .....   | 5  |
| 1.2.2 Bluetooth Low Energy (BLE) Beacons .....                      | 6  |
| 1.2.3 Ultra-wideband (UWB) .....                                    | 8  |
| 1.2.4 RFID .....  | 9  |
| 2 Hardware for Indoor Positioning .....                             | 10 |
| 2.1 insoft Locator Nodes .....                                      | 10 |
| 2.2 insoft Locator Tags .....                                       | 11 |
| 3 Solutions & Software .....  | 12 |
| 3.1 Solutions .....   | 12 |
| 3.1.1 Indoor Navigation .....                                       | 12 |
| 3.1.2 Indoor Tracking .....   | 14 |
| 3.1.3 Indoor Analytics .....  | 15 |
| 3.1.4 Indoor Location-Based Services .....                          | 16 |
| 3.2 insoft Software Tools .....                                     | 17 |
| 3.2.1 Setup of Indoor Localization .....                            | 17 |
| 3.2.2 Administration of Indoor Localization .....                   | 18 |
| 3.2.3 Data & Output – Analytics, Tracking, Geotriggers .....        | 19 |
| 3.2.4 SDKs & Web Services .....                                     | 19 |
| 4 Industries & Examples of Use .....                                | 20 |
| 4.1 Industrial Areas .....  | 20 |
| 4.2 Airports .....  | 21 |
| 4.3 Railway Stations .....  | 22 |
| 4.4 Health & Care .....   | 22 |
| 4.5 Offices .....   | 23 |
| 4.6 Automotive .....  | 24 |
| 4.7 Retail .....  | 25 |
| 4.8 Trade Fairs .....   | 27 |



## Editorial

Dear readers,

The field of indoor positioning and indoor navigation has been undergoing sustainable changes and experiencing exciting new developments since I founded insoft in 2005. Over the years, we successfully demonstrated our ability to adapt fast to new trends and circumstances, anticipating and inventing new ways to connect locations. Today, positioning and navigation solutions for indoor contexts include technologies based on Wi-Fi, Bluetooth Low Energy (BLE), Ultra-Wideband (UWB), and RFID, just to name a few. We intend to build on this momentum, combining fundamental concepts in hybrid approaches to aim for more accurate, precise, and efficient solutions. There is always plenty of space for improvement and innovation, and I am very excited for what is yet to come!

With this white paper, we want to provide you with a guideline to help you find a way through the complex topic of indoor positioning and related services. You can use it to get an overview of the different positioning techniques, learn more about the wide range of possible applications, and get to know our products and solutions. If you want to dig deeper, you can always have a look at [our website](#), or our [indoor navigation wiki](#).



CEO Tobias Donaubauer

If you have any questions, please don't hesitate to [contact us](#).

Would you prefer to reach out to us via [Facebook](#) or [Twitter](#)? No problem, please stay connected and let us in on your thoughts!

All the best,

Tobias Donaubauer

## 1 | The Basics of Indoor Positioning

Indoor positioning systems (IPS) enable you to locate the position of objects and people within buildings. GPS, however, is not available in interior spaces, because there is no visual contact with the GPS satellites. Furthermore, with GPS, it is not possible to determine the floor level a device is located on. That is why an IPS has to rely on other localization methods. There are two approaches to put such an "indoor GPS" into practice.

### Quick Start – Client- and Server-Based Indoor Positioning


Indoor positioning is based on a transmitter-receiver model where there are two possibilities to determine the current location of a person or asset indoors: client- and server-based approaches.

#### Client-based:

A client-based technology is used to keep track of individuals that might require a back channel for further information exchange (visualization of own position on a map, location-based alerts, task management etc.) and for navigation purposes.

























Hence, a smart device with a specific application is handling the indoor positioning based on external signalers such as Wi-Fi and Bluetooth Low Energy (BLE) in combination with the internal smartphone sensors (e.g. accelerometer, gyroscope, magnetic field sensor etc.).

The position is determined on the smart device but can also be transferred continuously to a backend to provide supervisors with the user's current location. Therefore, the device requires a network connection.



Client-based and server-based indoor positioning



| Technology | Accuracy   | Range  | Suitable for  | Tracking   | Transmitter power supply   | Battery lifetime   |
|------------|--|--|---|--|--|--|
| Wi-Fi      | <br>< 15 m  | <br>< 150 m | <br>area detection |   |  or  | <br>medium        |
| BLE        | <br>< 8 m   | <br>< 75 m  | <br>area detection |  |   | <br>high          |
| UWB        | <br>< 30 cm | <br>< 150 m | <br>area detection |  |  or  | <br>low to medium |
| RFID       | <br>< 10 cm | <br>< 1 m   | <br>spot detection |  | —<br>(passive RFID tag)  | —<br>(passive RFID tag)  |

Comparison of different technologies for server-based indoor positioning

### Server-based:

A server-based technology is used to keep track of assets and persons and comes with a typical one-way communication towards the receiver. In most use cases, there is no back channel to the transmitting device.

The receiver hardware is installed within the client's premise to capture the signals of the transmitters/senders and to transfer the data to a backend engine.

insoft can set up interfaces for indoor positioning from third-party providers such as Cisco, HP Aruba and Xirrus to visualize the position data within our Analytics and Tracking engine.




## Technology Overview

To meet the requirements of a client with regard to the requested accuracy, there are several potential sensor technologies available:

### Wi-Fi



Inside buildings, Wi-Fi is a good alternative to GPS. In most cases it is easy to install a Wi-Fi positioning system (WPS), since existing Wi-Fi infrastructure can be used (e.g. cash register systems, public hotspots, access points of shops or exhibitors). The user doesn't necessarily have to connect with the Wi-Fi, it is sufficient to have Wi-Fi enabled.


| Technology | Accuracy | Range   | Cross-Platform  |
|------------|----------|---------|---|
| Wi-Fi      | 5-15 m   | < 150 m |    |
| BLE        | 1-3 m    | < 30 m  |   |

Comparison of Wi-Fi and BLE for client-based indoor positioning

For positioning, the so-called fingerprinting method is used. The strength of the Wi-Fi signals (received signal strength indication, RSSI) and the MAC address (media access control) are significant. There must be a corresponding app installed on the smartphone which calculates the current position based on these data.

If a server-based solution is more suitable for the project, insoft's self-developed hardware – the Locator Nodes – can be used. In this case no app is required, all Wi-Fi capable devices (e.g. smartphones, tablets, Wi-Fi tags) are detected and asset tracking is possible.





Indoor positioning using Wi-Fi

Accuracy depends on multiple factors, such as the number of available access points, reflections for example in corridors and last but not least shielding through walls, ceilings, and your own body. The accuracy of Wi-Fi used for indoor positioning varies from 5 to 15 meters – depending on the preconditions. Sensor fusion (the use of smartphone sensors) can improve accuracy in client-based applications.

### Wi-Fi at a glance:

#### Pros:

- existing Wi-Fi infrastructure can be used
- enabled Wi-Fi is sufficient
- large range (up to 150 m)
- detects floor level

#### Cons:

- relatively inaccurate (5-15 m) compared to BLE/RFID
- no latency guarantees
- use of randomized MAC address if smartphone is not connected to Wi-Fi network
- client-based positioning is not possible with iOS devices

#### EXAMPLES OF USE:

- [analysis of visitor flows at major events](#)
- [utilization analysis in rail traffic](#)
- [preventing and investigating criminal offences](#)

## Bluetooth Low Energy (BLE) Beacons



Beacons are small radio transmitters that broadcast signals using Bluetooth Low Energy (Bluetooth Smart) in a radius of up to 70 meters. These signals are detected by a mobile device (e.g. smartphone) in a client-based approach or by a


specific hardware (insoft Locator Nodes) in a server-based approach.

The underlying technology is using a signal strength (RSSI) measurement to determine the beacon's position.

BLE beacons are cost-effective and energy-efficient components that can run on button cells up to five years and more.

For calibrating the position determination in a client-based approach, insoft provides a calibration app, by which clients can work independently. insoft also offers a beacon management tool to monitor battery levels and set up business logics to replace batches in certain areas.

During installation and parameterization, attenuation properties of different materials have to be taken into account (e.g. wood or glass with low attenuation properties as opposed to metal or water with high attenuation properties).



Optimal channel utilization for simultaneous use of BLE and Wi-Fi

Bluetooth beacons normally do not affect other radio networks and they also do not interfere with medical devices. However, BLE and Wi-Fi share the same frequency range (2.4 GHz). Interferences can be easily avoided by not using channels 2, 3, 4, 13 and 14 when configuring the Wi-Fi and using 1, 6, 7, 8, 9, 10, 11 and 12 instead. Bluetooth uses the remaining available channels to capacity in a uniform manner (frequency hopping). Advertising channels that are used for positioning are marked in red in the graphic. The blue-colored channels are reserved for additional functions such as a temperature sensor.

The [insoft beacon calculator](#) can help get a rough idea of the number of beacons required for a client-based indoor positioning project.



Various beacon models (picture shows products of Kontakt.io)

BLE beacons are available from numerous suppliers and come in various shapes and sizes. insoft solutions are compatible with beacons of all manufacturers.

### BLE beacons at a glance:

#### Pros:

- cost-effective, unobtrusive hardware
- low energy consumption
- flexible integration into the existing infrastructure (battery-powered or power supply via lamps and the domestic electrical system)
- works where other positioning techniques do not have a signal
- compatible with iOS and Android
- high accuracy compared to Wi-Fi (up to 1 m)

#### Cons:

- additional hardware
- relatively small range (up to 70 m)
- instability with layout changes and radio interferences

#### EXAMPLES OF USE:

- [theft protection](#)
- [evacuation of employees](#)
- [inventory management](#)

## Ultra-wideband (UWB)




Ultra-wideband is a short-range radio technology that is mainly used in industrial environments with high precision needs.

With less than 30 cm, the accuracy is considerably better than when working with beacons or Wi-Fi. Also, height differences can be measured accurately. Another advantage can be the low latency times with position updates up to 100 times / second.

In contrast to Bluetooth Low Energy and Wi-Fi, the position is determined by a transit time method (Time of Flight, ToF) instead of a measurement of signal strengths (Receive Signal Strength Indicator, RSSI). This method measures the running time of light between an object and several receivers (insoft Locator Nodes).



Due to the usage of extremely wide frequency bands with a bandwidth of at least 500 MHz, there are almost no interferences. UWB is one of the preferred solutions when it comes to the tracking of a modest number of assets in large industrial areas. However, the price per unit is significantly higher and the battery lifetime is shorter compared to BLE beacons.



Server-based positioning with UWB Locator Tag

The asset to be tracked is equipped with a small UWB tag (insoft Locator Tag) which runs on battery power or can draw its power via a forklift, for example. The tag sends data (ID, ToF, timestamp) to the insoft Locator Nodes. They have a fixed position in the infrastructure and can use the running time of light to calculate the distance of the asset.

If the positioning data should be immediately displayed on a mobile device (smartphone), the insoft Locator Tags can directly communicate with the smartphone via Bluetooth or USB interface.

### UWB at a glance:

#### Pros:

- high accuracy
- low latency times
- almost no interferences

#### Cons:


- cost-intensive
- shorter battery lifetime than BLE beacons

#### EXAMPLES OF USE:

- [asset and vehicle tracking in logistics](#)
- [process optimization in automotive manufacturing](#)



## RFID



RFID stands for “Radio-Frequency Identification” and describes systems that use radio waves to identify objects or persons. In a passive RFID system, there is a transponder (“RFID tag”) on whose microchip data (usually a serial number) are stored, which can be forwarded wirelessly to a reader. The reading unit (insoft Locator Node) generates an energy field that activates the RFID tag. In order to enable information exchange, the distance between Locator Node and transponder must be less than one meter (remote-coupling).

No matter which industry you are thinking of – since it is a very versatile technology, RFID can be used almost everywhere. Common applications are systems for access control, time recording or inventory control in logistics. Since reliable identification of products or objects is required in many industries, RFID is particularly suitable as an asset tracking solution.

Since passive transponders do not have their own energy source, they are almost maintenance-free. As a result, initial acquisition costs will pay off in the long term in most cases. RFID tags do not require visual contact with the reader, and they are durable against impact and environmental factors.

### RFID at a glance:

#### Pros:

- very high accuracy
- immunity to interferences
- no battery needed


#### Cons:

- short range (< 1 m)
- only providing a “point-in-time” location
- installation requires significant planning
- infrastructure can be expensive

#### EXAMPLES OF USE:

- [analysis of consumer behavior in a supermarket](#)
- [asset tracking in logistics](#)

Combining RFID systems with other positioning technologies can solve the biggest problem of passive RFID technology: objects equipped with RFID tags can only be located at a specific point – namely exactly where RFID hardware (e.g. Locator Nodes) has been installed. However, if for example a forklift truck is equipped with an insoft Locator Node, whose sensors not only respond to RFID, but also to Ultra-wideband (UWB), a link between the position data of the forklift truck and the identification times of RFID-tagged goods can be established.



Combination of RFID and UWB for identification and localization of goods



## 2 | Hardware for Indoor Positioning

To address a client's need for a reliable indoor tracking solution, we rely on our own hardware called insoft Locator Nodes and insoft Locator Tags.

### insoft Locator Nodes

With the Locator Nodes, insoft is providing a modular component for tracking and analysis purposes. Integrated into the insoft LocAware platform®, the Locator Nodes allow for a comprehensive detection of different device types, enabled through the modular system with different sensors.


Beside the consumer standards Wi-Fi and Bluetooth Low Energy (BLE), the insoft Locator Nodes are able to address high-precision needs with Ultra-wideband (UWB) and can also be equipped with an RFID

reader. Data correlations with external camera systems and self-positioning via GPS in mobile scenarios are further capabilities.

The Locator Nodes require a power supply and network connection and are transferring the scanned data to the insoft LocAware platform® that is available as cloud and on-premise solution. Using the various tools then allows to view positions, analyze movements, or use location-based services. Integration with third-party systems such as Cisco (CMX, MSE, Meraki), HP Aruba or Xirrus is also possible.

#### Examples of use for insoft Locator Nodes:

- [work equipment localization](#)
- [vehicle tracking in a car showroom](#)



insoft Locator Node

## insoft Locator Tags

insoft Locator Tags are small modular components using Bluetooth Low Energy (BLE) or Ultra-wideband (UWB) that enable locating and tracking objects and people indoors. They are also suitable for route analysis. Much like insoft Locator Nodes, they work with server-based installations, which means that the position is determined on a server (cloud or on-premise). In contrast to insoft Locator Nodes, insoft Locator Tags are primarily developed for large areas with only a few objects to be tracked (for example a clinic that wants to deploy medical equipment tracking).

Thanks to their modular construction, insoft Locator Tags can be used in different application scenarios.

For indoor positioning using insoft Locator Tags with a BLE module, evenly distributed beacons are necessary. Since beacons are relatively cheap and easy to install, they are especially suitable for large areas with a small amount of assets. The Locator Tag itself is battery-powered and roughly has the size of a matchbox. It is adhered to the objects to be tracked. Persons can simply put it into their pockets. The insoft Locator Tags receive the Bluetooth signals of the beacons installed in the building and transmit the data via LoRaWAN (Long Range Wide Area Network) to the insoft LocAware platform®. Here, the position is calculated and provided via web services. Indoor navigation can be an interesting additional feature the installed beacons can be used for.




Besides BLE, Ultra-wideband is a possible module insoft Locator Tags can be equipped with. UWB enables asset tracking in industrial environments with an accuracy of 10-30 cm.

The system can either be set up server-based (visualization of position data in the backend) or client-based (visualization of position data on a mobile device, optional transmission to the backend).

### Examples of use for insoft Locator Tags:

- [localization of medical equipment](#)
- [navigation of tigger trains in automotive manufacturing](#)



Server-based positioning using LoRa / BLE Locator Tag and UWB Locator Tag



### 3 | Solutions & Software

insoft offers customized, comprehensive solutions and powerful software tools that allow for successful implementation of an Indoor Positioning System (IPS).

#### Solutions


insoft offers the whole range of indoor positioning services: indoor navigation, indoor tracking, indoor analytics and indoor location-based services.

#### Indoor Navigation

Indoor navigation deals with wayfinding within buildings. Because GPS reception is normally non-existent inside buildings, other positioning technologies are used here when automatic positioning is desired. Wi-Fi or BLE beacons are often used in this case to create a so-called "indoor GPS". Contrary to GPS,

however, they also enable you to determine the actual floor level. Most applications require an "indoor routing" functionality that guides people precisely through a building and, in this way, automatically determines their position – very similar to the navigation systems that we use in our cars. A typical application is turn-by-turn navigation in an app (displaying directions on a digital map) used for train stations, airports, shopping centers and museums.

Indoor navigation with automatic positioning is normally used as a client-based application. This means that the position is determined directly on the smartphone of the user, which requires an app. The location is determined usually via Wi-Fi or beacons. A feedback channel is also available, for example for sending push notifications.





Smartphone sensors are always called upon to refine the positioning function – for example, GSM, 3G/4G (LTE), magnetic field, compass, air pressure, barometer, accelerometer and gyroscope.

Because all infsoft products are integrated into one platform, it is easy to enable additional features, for example route and visitor analyses.

Indoor navigation by infsoft can also be integrated into existing apps: an SDK (Software Development Kit) is available for the Android and iOS mobile operating systems and as an HTML5 plugin.

### **Indoor navigation with Wi-Fi**

Indoor navigation with Wi-Fi has an accuracy of 5-15 meters. The various signal strengths of several Wi-Fi access points are evaluated for this purpose. Precise positioning within the building, even over multiple floors, is made possible through specific shielding characteristics. The available Wi-Fi infrastructure can be used (e.g. customer hotspots, Wi-Fi-capable point of sale systems, routers) – the user only has to activate Wi-Fi on his/her smartphone, a connection is not required.

However, client-based positioning via Wi-Fi is not supported by Apple devices. Beacons are a good alternative if you want to include all smartphone users.

### **Indoor navigation with beacons**

Indoor navigation using beacons is quite widespread because Bluetooth transmitters function across platforms and have an accuracy of 1-3 meters. The most well-known types are called iBeacon (from Apple) and Eddystone (from Google). Both operate using the BLE standard (Bluetooth Low Energy) and thus are very energy efficient. Numerous hardware manufacturers market these small devices. A beacon should be placed every 7-10 meters depending on the desired accuracy. Beacons are the most popular hardware for indoor positioning due to their high level of flexibility and accuracy.



Indoor navigation using beacons (picture: product of Estimote)

### **Indoor navigation with Ultra-wideband**

Indoor navigation with Ultra-wideband has some significant advantages in industrial environments: high accuracy (10-30 cm), low latency times (position request up to 100 times/second), and accurate measurement of height differences.


For client-based positioning using UWB, infsoft Locator Tags are required. They transmit their position directly to the smartphone – either via a USB dongle which is directly plugged into the smartphone or via Bluetooth. However, the technique is a special solution which requires appropriate components and thus is mostly suitable for special industry applications. One possible use case are floor conveyors whose drivers should receive precise turn-by-turn directions. Because of their high speed, latency must be kept to a minimum.

#### **Application examples of indoor navigation:**

- [indoor navigation in airports](#)
- [indoor navigation in railway stations](#)
- [indoor navigation in the healthcare sector](#)

## Indoor Tracking

Indoor tracking denotes the real-time localization of persons and objects within buildings. Depending on the application, insoft deploys indoor tracking based on different sensors. Wi-Fi or BLE localization is cost-efficient and provides accuracies under 5 meters. Ultra-wideband allows super-precise indoor tracking of people and objects. Passive RFID enables selective object identification. All solutions presented here also work seamlessly under the open sky in case the plant grounds are not uniformly covered by a roof.



Localization of objects within buildings

Indoor tracking is normally implemented as a server-based application. No app is required because a back channel to the object to be located is not necessary in most cases. insoft Locator Nodes are used here. They can localize all Wi-Fi devices (smartphones, Wi-Fi tags and wearable Wi-Fi transmitters) as well as Bluetooth Low Energy beacons (e.g. available as an armband or wafer-thin sticker), Ultra-wideband tags and RFID tags. In some cases, client-based positioning is used, e.g. when person tracking is part of an employee app. The position is then determined directly on the user's smartphone and regularly sent to a server. An app is required in this case, and a feedback channel is available.

Indoor tracking by insoft can also be integrated into existing systems (e.g. apps). An SDK (Software Developer Kit) is available for the Android and iOS mobile operating systems and as an HTML5 plugin.

## Indoor person tracking

The indoor tracking of persons can make sense in several situations. On the one hand, it plays a major role regarding safety, e.g. for patients in high-risk categories or for the evacuation of employees from large company premises. On the other hand, it helps with the optimization of work processes, e.g. when the analysis and optimization of walking routes is desired.

### Application examples of indoor person tracking:

- [locating patients and employees in a hospital](#)
- [registering and locating employees in case of evacuation](#)
- [measuring visitor flows at events](#)

## Indoor object tracking

The indoor tracking of objects is in great demand, particularly in the industrial sector. Here, it is often necessary to determine the current location of work equipment or goods. The systems from insoft are based on a detailed digital map that shows the current position of the object(s) and that can be displayed on all (even mobile) end user devices.



### Application examples of indoor object tracking:

- [locating forklifts, industrial trucks and mobile goods](#)
- [locating mobile medical devices such as x-ray machines, hospital beds, etc.](#)
- [locating vehicles in a car showroom](#)

## Indoor Analytics


The analysis software from infsoft can be added to existing indoor positioning / indoor navigation systems (client-based or server-based) or set up independently. The technology recognizes end user devices, Wi-Fi and Bluetooth transmitters, RFID and Ultra-wideband tags and measures the time spent in certain areas and which routes were used. This enables you to, for example, find out how many people pass a certain spot during the day or which hours of the day or week are the least busy. The movements of objects, e.g. work equipment, goods or products can also be measured along with the walking paths of visitors. The data is displayed in the form of diagrams and heat maps, enabling easy evaluation and further processing. infsoft's analytics dashboards are highly flexible and can be customized to the individual needs of each client.



### Insights on visitor behavior

infsoft Indoor Analytics provides helpful information for business decisions. Heatmaps, route analyses and dwell times allow the targeted analysis of customer or visitor behavior. Indoor Analytics helps to improve customer/visitor satisfaction, product placement, personnel planning and the evaluation of marketing activities.

For example, a retailer can determine how successfully their current layout draws customers' attention to a specific offer. Operators of a shopping mall can make rents in different areas dependent on the respective visitor numbers. A museum director can establish which works of art are especially popular and whether optimization is necessary in the guided



Analyzing visitor behavior within a location

tours. Trade fair organizers can measure visitor numbers at individual points of the premises and set stand prices based on this information. The driving routes of machinery on factory grounds can be measured and visualized so that optimizations can be developed.

### Data Protection and Technical Requirements

When indoor navigation from infsoft is being used, you can work directly with the analysis software. The mobile devices of users that have installed the corresponding app can send their position to the server on a regular basis. No personal data are captured, so that infsoft Indoor Analytics can be used in compliance with data protection regulations.

If you are not using an indoor positioning system from infsoft or you want to generate a wider database, then we recommend server-based data collection. infsoft Locator Nodes are used for this. Thanks to their modular approach, they can not only track smartphones via server, but also beacons, Wi-Fi tags, Ultra-wideband tags or RFID tags.

### Application examples for indoor analytics:

- [measuring the rail wagon utilization in rail traffic](#)
- [analyzing walking routes at a major sports event](#)
- [analysis of consumer behavior in a supermarket](#)






## Indoor Location-Based Services

Location-based services are location-specific mobile services. They provide information or functions to smartphone users, depending on their location. Various methods can be used for indoor positioning within buildings to implement location-based services. A distinction is made here between reactive and proactive services. For reactive location-based services, the user searches for locations in the vicinity directly on his/her device, e.g. for ATMs at the airport. Proactive services “recognize” when a user enters a specific area and trigger an action – e.g. sending information or an offer to the user’s smartphone. This is referred to as location-based marketing. An app is required for these services.

## Geofencing in Interior Spaces

The triggering of an action when taking a specific path is called geofencing (combination of geography and fencing). This can also be used inside buildings without GPS reception.



Setting up geofences for a location

Geofencing is quite interesting for marketing in shopping centers, airports, train stations and at trade shows, among others. Customers can be assigned anonymous “tags” that are based on their

## Application examples for geofencing:

- prevention and investigation of criminal offences
- emergency zones for evacuation

interests and behaviors. This could include characteristics such as age, gender, visited areas / stores and length of stay. This helps to provide customers with information, offers and coupons that are only relevant for them.

## Process Automation

Geofencing allows intelligent process automation. Using the insoft Automation Engine, you can define various geo-based triggers along the process chain, speeding up operation and streamlining processes. It is possible to, for example, configure emails and tasks, create alerts, and protect areas by triggering automatic door locking / unlocking.

When talking about geofencing, we need to distinguish between client-based and server-based positioning.

### Client-based positioning

The user has a corresponding app installed. A feedback channel is available that can be used to send messages to the user’s device.

### Server-based positioning

The user cannot be addressed directly. However, interesting conclusions regarding interests and behaviors can be drawn from the location of numerous devices. Server-based positioning can also be used to trigger different actions along the process chain.

The gained data can be analyzed and processed via the insoft Indoor Analytics and Indoor Tracking tool.



# insoft LocAware platform®



## insoft Software Tools

insoft offers powerful software products that are bundled and linked in the insoft LocAware platform®.

As a central data hub, the Locaware platform® represents the center piece of the insoft tools. All tools required for the setup and data management are bundled here and are accessible with single sign-on.

The web-based tools enable managing a location on all floor levels, analyze traces through the building, manage devices, beacons and Locator Nodes as well as to define geo-based alerts.

Furthermore, all data from the Locaware platform® can be exchanged easily via interfaces (bidirectional connection) with third-party systems.

The platform is available as cloud and on-premise solution.

### Setup of Indoor Localization

The setup tools include all the required features to set up an indoor positioning system – mapping, calibration, data management, and route definition.

The insoft Maps Editor allows you to create your location with just a few clicks and then easily manage it afterwards at any time. You can set up


outlines of the building, rooms and custom patterns, define points of interest (POI), contextual pathway-relations and much more.

Closely related to the Maps Editor is the insoft CMS, which provides the information in list format. You can easily manage attributes for a large number of



insoft Maps Editor

POIs, set information for different menu items and handle data that are not necessarily geo-related. The insoft Route Tool allows you to test the contextual pathway-relations you have created. You can evaluate the routing (e.g. barrier-free) over several



## infsoft Beacon Management

floors and check the priorities of different navigation graphs. The routing and mapping information shown is provided by the infsoft Maps Editor.

The infsoft Calibration Tools assist you with the setup of a client-based indoor positioning based on Wi-Fi, beacons and sensor fusion and are also used for the calibration of the infsoft Locator Nodes. Within the Calibration Tools you can create calibration routes, manage beacon proximity UUIDs, visualize the detected signalers, check heatmaps of signal strengths and filter access points or beacons that should not be used for the IPS. The tools are synced with the related infsoft Calibration Apps and are exchanging the calibration information.

### Administration of Indoor Localization

The infsoft administration tools provide useful functions for managing the deployed indoor positioning system.

In order to simplify the administration of the beacons within your location, the infsoft Beacon Management can be used. You can maintain and register beacons, check their position within the map and monitor the battery status including historical data such as downtimes.

Within the Locator Nodes Management, you can register and organize the infsoft Locator Node hardware

in your location. You can set up groups, push firmware updates to the nodes, configure scan intervals and check on the current scans of the Locator Node. The management platform also provides an overview over any downtimes and can be configured with alert mechanisms.

With the infsoft Device Management, you can check on different attributes of devices by entering the UID or MAC address. The information can be provided by an application or the infsoft Locator Nodes and can cover e.g. the current coordinate, last seen timestamps or vendor details. You can also add different properties to tag the device.

The infsoft Administration Portal offers a variety of configuration possibilities that are available for super users. You can manage registered users, give them access to specific tools and check on the status of backend systems such as the tile service, infsoft Automation Engine and infsoft Location Analytics.

The infsoft Search allows to check on all information that has been detected related to a specific device or location. You can search for UUIDs, MAC addresses or sort the data by location to get an overview over the transferred data. Beside the device attributes, the current position of the device can be visualized.

infsoft Diagnostics provides an overview over the status of all server instances and their activities.

Users can check on possible downtimes and historical data.

## Data Processing & Output

The processing and output tools from insoft enable real-time analytics, tracking and geofencing.

insoft Indoor Analytics visualizes detected devices within the floor plans and enables real-time monitoring of motion profiles. You can measure frequencies in specific areas, create time- and location-related analyses and combine the system with the insoft Automation Engine to enrich your data. The live scripting engine can filter information or visualize data links in real time and in retrospect. The tool also provides heat map visualization and route tracing.


Real-time visualization of the position of specific devices is enabled by the insoft Tracking engine.



## SDKs & Web Services

insoft's technology is also available as plugins for integration into third-party apps. The plugins contain indoor positioning, indoor navigation & routing, 2D/3D building maps and GEOItems. The determined position is issued as virtual GPS coordinates and can be used as such in the app for your own purposes. The SDK (Software Development Kit) is currently available for the Android and iOS mobile operating systems and as an HTML5 plugin. In addition to a native implementation, the use of frameworks such as PhoneGap or Xamarin is also possible.

insoft's products can also easily be adapted to different system environments. The insoft web services allow fast and efficient data integration via REST/SOAP interface.



insoft Indoor Tracking

You can add attributes to a device (e.g. mail address, name etc.), organize devices in groups and send push notifications to selected users. The engine can also be used for asset tracking and can be linked with other tools such as the insoft Automation Engine to define alerts when a device enters / leaves a defined area.

The insoft Automation Engine allows for the definition of various geo-based triggers along the process chain in real time. The automated actions to be triggered can include alerts, notifications (push, email, ...), door locking / unlocking, just to name a few.



RETAIL

HEALTH & CARE

TRADE FAIRS

AUTOMOTIVE

RAIL STATIONS

INDUSTRIAL AREAS

OFFICES


AIRPORTS

## 4 | Industries & Examples of Use

Indoor positioning and services are not restricted to any specific industry – the fields of applications are limitless. Nonetheless, you can point out several industries that are particularly embracing this technology and its benefits.

### Industrial Areas

insoft offers tracking solutions in complex industrial areas. A Real-Time Locating System (RTLS) provides location-relevant data for operators, making the logistics process faster and smoother. An RTLS can not only help with productivity enhancement, but also with real-time decision support and the identification of hidden costs.




### Advantages for operators

insoft provides you with solutions for the monitoring of mobile goods. Whether it is pallets, forklifts, robots or equipment inside complex industrial areas – the tracking solution detects all required goods and allows for seamless tracking. One possible application scenario is tracking pallets along the supply chain in order to monitor the whole process including incoming and outgoing goods, amount, delivery date as well as actions at the point of sale. All data can be accessed at any time via a web-based portal or a standalone app and can also be integrated into existing ERP systems.

### Advantages for security administrators

insoft's indoor tracking solutions offer an operations control system for plant security, which sends the positions of staff and objects to the control center in real time. Security services staff who is located in the vicinity of certain events can be directly assigned to patrols. An alert function notifies the control center as soon as a security-relevant area is entered by a non-authorized person. Thanks to the analysis of movement profiles inside and outside the building, detailed data is available that can be used to undertake refinements to the security concept. Should goods, equipment and vehicles leave a certain area without permission, a warning mechanism can be triggered via geofencing (theft protection). Furthermore, user-specific areas can also be created with individual access authorization.





Tracking of floor conveyors and goods using Ultra-wideband (UWB) and RFID

## Airports

When business or leisure travelers go on a trip by plane, they want to keep the waiting times to a minimum and make good use of it. As an airport operator, it is your goal to offer passengers a trouble-free and comfortable stay. Shops and restaurants wish for passengers who have enough free time to consume. All of those needs can be better satisfied by infsoft's branch solutions.

### Advantages for passengers

People who travel infrequently may need support in complex infrastructures like airports. This is where the benefits of indoor navigation become apparent. It shows the exact routing from car park or railway station to the terminal. It is even possible to implement intermodal door to door navigation. When passengers cover the distance quickly, there still remains enough time to discover shops or take a break in a restaurant. Merchants can push tailored advertising directly to the smartphone and offer a lot of added value for the customer. For example, it could be a coupon or a custom-fit offer. Back from the journey, the airport app helps passengers to find back to their car or public transportation. Business travelers have all information concerning their flight and their boarding pass in their pocket and can quickly find a place to work and relax.

### Advantages for stores and restaurants

Merchants can push custom-fit offers directly to the smartphone of interested clients: For example,

those who have already visited this or similar shops. And for sure everyone is delighted by a discount of his favorite shop. In addition, you learn a lot about visitor flows in or nearby the store. Large shops can also use indoor localization for asset tracking, for example in order to improve theft protection or logistics.



### Advantages for airport operators

The advantages for merchants and passengers listed above improve customer satisfaction. Using indoor location analytics, operators can even get detailed information about the stream of visitors. These data can be used as a substantial argument when leasing floor space. It can also help your security staff: As soon as somebody enters a restricted area or when certain areas are overcrowded, predefined actions can be triggered.

## Railway Stations

Modern railway stations must satisfy high requirements: Of course, it is extremely important that passengers reach their destination fast and safe. Especially people with reduced mobility may welcome support. The large number of merchants wishes for a good platform to present themselves and the possibility to realize location-based advertising. For the station operator, a lot of opportunities arise considering facility management.



### Advantages for travelers

Particularly on longer journeys with several changeovers, things sometimes don't go as planned. Platform changes or delays don't cause so much stress when the passenger is informed about it as early as possible. Passenger applications for smartphones can offer this via push notifications and real-time schedule updates. Being able to book a ticket whilst travelling and having a precise routing towards the right track may save the passenger some valuable minutes. It is even possible to implement intermodal door to door navigation including public transport. Passengers arriving by car can be shown the best possible car park – including a transparent overview of parking fees. If there is any time left in the station, the app helps passengers to quickly find the way to a certain shop or food stall.

### Advantages for merchants and restaurants

Merchants can send their potential customers tailored offers – for example picking those who have already been to similar shops or who are returning visitors. And for sure everyone is delighted by a discount of his favorite shop pushed directly on his smartphone.

### Advantages for railway station operators

Using insoft's indoor location analytics, station operators gain a lot of information about visitor

flows inside the building. With a clearly arranged web interface, they see much frequented areas and can take action if it tends to become overcrowded. Based on these data, a lot of further functions can be realized.

## Health & Care

Indoor positioning systems can not only be beneficial for patients, but also for hospital operators: Mobile medical equipment can be found quicker, staff is being relieved, hygiene rules controlled, itineraries analyzed, appointments coordinated and costs reduced.

### Advantages for patients and visitors

Most people who enter a hospital want to reach their destination (e.g. the emergency room, the cafeteria, a treatment room or a patient room) as fast and as easy as possible. An app for patients meets these requirements. In a clear 2D or 3D map, the user can see his/her current location and navigate to a chosen destination – barrier free, if desired. An integrated calendar reminds him of treatment appointments in time and shows the way there. When an appointment is postponed, a message is being sent – this way, everyone's waiting time becomes shorter. Additionally, all services which a hospital offers can be integrated (for example meal selection, TV and phone card booking). The growing sector of medical tourism can profit from these applications as well, since they facilitate orientation in foreign environments.

### Advantages for hospital operators

insoft's solutions follow the internet of things (IoT) approach. More and more things are interconnected and facilitate people's work. Tracking mobile







Monitoring and asset tracking in the healthcare sector using BLE beacons

equipment, for example medical devices and hospital beds, ensures preventative maintenance, inventory control and prevents loss and theft. An indoor positioning system for hospitals can be integrated into third-party systems, for example hospital information systems. Possible applications include coordination of appointments and waiting times (leading to saving of time for doctors and patients), monitoring of patients, indoor navigation for patients and visitors, transmission of patient data across several medical stations, control of hygiene regulations, and relief of triage nurses in the emergency room.

## Offices

Indoor positioning and indoor navigation can make the management of large offices a lot easier. Visitor and invitation management, workplace management and access control systems, among other features, can lead to simplified internal processes and reduced costs.

### Advantages for companies

Using an indoor positioning system can create added value for staff and visitors. Visitors can be routed directly to their respective contacts (invitation management). Optional tracking of the movement profile can be realized without breaching data protection policies. In addition, a location memory function for cars (car finder) and the integration of public transport facilitate the arrival. In order to help visitors and new employees orientate themselves in

the foyer, the maps can be integrated into terminal solutions.

In a control center, you have a comprehensive overview of your staff's location and can therefore delegate tasks more efficiently. Available staff near a location can directly be assigned tasks using push notifications. Furthermore, additional geo-based information can be collected and forwarded, meaning that, for example, a length of stay analysis can be realized.



### Advantages for employees

Within an indoor navigation app, users can search for the offices of individual employees or unoccupied meeting rooms, which can be booked and navigated to. Using the "Colleague Finder" function, employees can share their location with each other and thus better coordinate their work. Company news, messaging, canteen plans and a parking space finder are other useful features.

## Automotive

Mainly due to the high-quality standards that are demanded in the production cycle, the automotive industry is highly advanced in the adoption of precision automation technology. Indoor positioning is one such technology that has made significant forays into the industry. Dealerships and service centers can also benefit from indoor localization since it helps making the customer journey as smooth as possible.



### Advantages for manufacturers and suppliers


insoft's solutions span the entire automotive manufacturing chain. They may be used for vehicle identification and tracking, quality control in production or asset management. A Real-Time Locating System (RTLS) increases manufacturing flexibility and access

to real-time production information. A precise tracking solution can allow for a smooth production process and make sure that supplying material to the assembly workstations runs smoothly. Workers can check at any time whether they are still on schedule. Automatic calculations determine whether a material supply will be delayed, which makes it possible to initiate countermeasures in due time.

### Advantages for dealerships, workshops and service centers

Car dealerships and service centers can optimize internal processes and customer experience by the use of an indoor positioning system. If the arrival of a car of an (existing) customer is captured, a message can be triggered that is sent to responsible employees who can make preparations to ensure an optimal client experience. Furthermore, the status of a vehicle within the repair / maintenance process can be tracked, which allows a more efficient organization of the maintenance procedures.

Salespersons can get access to the current position of individual cars via app and can use a filter to browse cars that meet certain criteria. The time a car has been standing in the showroom is measured and automatically influences the selling price in all digital systems. Data about itineraries and dwell time of clients can also be accessed. Thus, it is possible to determine which days and times are most popular and which cars attract a lot of interest.



Process optimization in automotive manufacturing using Ultra-wideband (UWB)



## Retail

insoft's solutions can offer operators, shops and customers real added value. They help retailers to increase sales, profits and customer satisfaction. A good mall navigation app improves the shopping experience and increases revenues. Location analytics provide reliable data concerning visitor flows in the building.

### Advantages for customers in shopping centers

Shopping center apps improve the shopping experience. Its functionality is not limited to display the latest offers and a list of shops and points of interest. It can also guide customers there – if desired even with means of augmented reality. Additionally, it can recommend offers that might be interesting for them – based on previous stays or purchases.

### Advantages for mall operators

A mall navigation app can help customers have a better shopping experience – with the help of routing or location-based marketing. For example, an offer or a coupon can be sent to the smartphone of a customer who is near a certain store. This kind of information is customized and offers him individual added value instead of bothering him with unsuitable advertising.


Using indoor location analytics, mall operators can measure and analyze visitor flows easily. The



security department can also take advantage: They can receive a message when people enter restricted areas or when certain sectors are overcrowded.

### Advantages for shop owners

Shop owners can easily learn a lot about their clients: How many visitors are near my store at a certain time, how many enter it? How do they move inside? Additionally, they can make use of precisely targeted location-based marketing: For example, purchasing incentives can be sent on the smartphones of a selected group.



Analysis of consumer behavior in a supermarket using BLE beacons and RFID

## Trade Fairs

Visitors to trade fairs often struggle to keep an overview. Modern indoor navigation solutions can solve this problem. A cross-channel trade fair solution provides added value to trade show organizers, exhibitors and visitors.



### Advantages for trade show organizers

The intention of a trade show organizer is to create an attractive event both for visitors and exhibitors. A trade fair application provides information about exhibitors, services, public transport and framework programme. Personalized content matches the right visitors and exhibitors. Using insoft's analytics engine, you can analyze visitor flows, obtaining precise information about hot spots and preferred routes.

### Advantages for exhibitors

Of course, exhibitors have the possibility to present themselves in the trade fair app, including pictures, contact data and description. Furthermore, they can use location-based marketing in order to get the attention of the matching visitors. The analysis of visitor flows makes it possible to choose the best stand location.

### Advantages for trade fair visitors

Indoor positioning in exhibition halls helps visitors find the way to certain stands. The app can be personalized, which means that exactly those stands can be highlighted on a map which are interesting for the individual app user. Visitors also benefit from features like an event calendar and the arrival and departure times of public transportation.

### Challenges

Due to the large, open halls and the booths which might undergo some (last-minute) changes, trade fairs present a challenging environment for indoor positioning technology. Installation can be problematic because you have to deal with short set-up periods. When installing beacons in a space with lots of Wi-Fi signals, you have to pay attention to avoid interferences by not using the same channels which is tricky, as exhibitors are often configuring their networks as they like.

### Features and success stories of different industries

An overview of the most important industries using indoor positioning including valuable success stories can be found [here](#).



**Imprint**

©insoft GmbH 2017. The content of this white paper is protected by copyright. All rights to content and design are with insoft GmbH. You may not copy, republish, modify or transfer this white paper without prior written and agreed consent of insoft. Our content is regularly edited and carefully checked. However, we do not accept any liability with respect to the correctness, completeness and current status of the information offered here. All mandatory legal details can be found under: [www.insoft.com/company/contact](http://www.insoft.com/company/contact).

**Text & Design** insoft GmbH

**Picture Credits** ©insoft.com, ©shutterstock.com, ©placeit.net



**Publisher**

insoft GmbH  
Ingolstädter Str. 13  
85098 Großmehring  
Germany

**Contact**

Phone +49 8407 939 680 0  
Fax +49 8407 939 680 12  
[contact@insoft.com](mailto:contact@insoft.com)  
[www.insoft.com](http://www.insoft.com)

